## Cumulative Index 2001

## **VOLUME 13**

March CRITICAL CARE EDUCATION, pages 1-150 June PAIN MANAGEMENT IN CRITICAL CARE, pages 151-334 September REHABILITATION AFTER CRITICAL ILLNESS, pages 335-474 December TRANSLATING RESEARCH INTO PRACTICE, pages 475-631

Note: Page numbers of article titles are in boldface type.

Acetaminophen, for pain, 215

dosage of, 216

in children, 287-288 Acute care nurse practitioner, as educator, 17

education programs for, 19-20

Addiction, to medication, defined, 277

to opioids, fear of, 198, 211, 213

Adolescent, pain in, expression of, 283 Adoption, in evidence-based practice, extent of,

597-598

guideline for, 597-508

rate of, 596-597

variables in, nurse and physician adherence to,

597-599

nurse and physician characteristics, 599

organizational, 598-599

of evidence-based research, types in, believer, 483

legal eagle, 483 skeptics, 482-483

9 to 534, 483

Adult learning, assessment of, 88

teachable moments in, 88-89

theories of, 1-1, 87-88

andragogy, 3

behavioral, 2

cognitive, 2-3

core principles of, 87

Dreyfus model, 3-1

phenomenology, 2-4

summaries of, 2

Advance directives, in end-of-life care, 580

Advanced practice nurse, in patient and family

education, 86-87

preparation of, preceptor in, 123-124

Advocacy, in critical care and rehabilitation, 371

Aerobic exercise program, for COPD, 384

African-American culture, cardiac rehabilitation and, 392

Agency for Health Care Policy and Research, pain management and, Acute Pain Management

Guideline for, 312-313 standards and guidelines for, 157

Agitation, in surgical and procedural pain, adverse

effects of, 237-238

pharmacologic management of, 238-239

Airway, clearance of, in COPD, 380

Akinetic mutism, after severe brain injury, 423-424

Alcohol, abuse of, orthopedic trauma and, 439-440

use of, in COPD, 381

American Association of Critical Care Nurses (AACN), pain management and, standards and guidelines

for, 158

position on unlicensed assistive personnel, 107

American Geriatrics Association, pain management and, standards and guidelines for, 157

American Nurses Association, position on unlicensed assistive personnel, 106-107

American Pain Society (APS), pain management and, guidelines for, 313

American Society of Anesthesiologists (ASA), pain management and, standards and guidelines for.

Americans with Disabilities Act (ADA) of 1980, overview

of, 456 Analgesic(s), absorption of, 207-108

adjuvant, 203-205

distribution of, 208

excretion of, 208

in multimodal balanced analgesia, 196-203

in pain management, baseline serum level and, 275

maintenance level of, in cancer pain, 272

titration to, 276-27

metabolism of, 208

nonopioid, 196-197, 214-217

mechanism of action, 197

Analgesic(s) (Continued) opioid, 197–203, 208–214 mechanism of action, 197 reversal agent for, 197 pharmacodynamics of, 207–208 pharmacokinetics of, 207–208 preemptive, 173–174 Andragogy, 2–3, 87

Angina pectoris. See Chest pain, acute cardiac. Anterior lateral system, of spinal cord, in pain transmission, 171, 173

Anticholinergic agents, for COPD, 382 Anticoagulants, following orthopedic trauma, 437 Anxiety, following spinal cord injury, 408

in surgical and procedural pain, 238 pharmacologic management of, 238–239 reduction of, therapeutic touch and, 358–359

Anxiety-pain cycle, 151–153
Architectural barriers, to social integration, of persons with disabilities, 457

Aspirin, for cardiac chest pain, 265 for pain, 214–215

Atrophy, muscular, spinal cord injury and, 407–408 Attitude(s), intrapersonal, 64–65

practitioner, in pain assessment, 321–322 pain management and, 298 toward persons with disabilities, 456–457 Autonomic dysreflexia, in spinal cord injury, 405

Autonomic dysreflexia, in spinal cord injury, 405 Autonomy, in critical care and rehabilitation, 343–344

Baccalaureate education, clinical nurse specialist, as educator, 16–17

for critical care practice, 17–19
Basic Knowledge Assessment Tool in, 19
content of, essential, 13–15, 17
course work for, 14–15

course work for, 14–15
creative education-partnership models in, 18
fellowship programs in, 19
simulation models in, 18–19

Bacteria, resistant, infection and colonization with, 367 Balanced analgesia. See Multimodal balanced analgesia (balanced analgesia).

Barrier(s), architectural, persons with disabilities and, 457

to patient and family education, cultural and linguistic, 85–86 environmental stress, 85

β-Blockers, for cardiac chest pain, 266–267 Behavior, in pain assessment, in children, 284 Behavioral learning theory, 2

Behavioral Pain Rating Scale (BPRS), studies of, 183, 185 Beliefts), cultural, toward persons with disabilities, 457 nurses', in pain assessment, 182–183

patient, in culturally competent care, 523 Beneficence, in critical care and rehabilitation, 342, 345 Benzodiazepines, in balanced analgesia, 204

in opioid discontinuation, in children, 287 in surgical and procedural pain, 238–239

reversal agent for, 204 Bladder, in spinal cord injury, lower motor neuron paralysis of, 406–407

upper motor neuron paralysis of, 406 Body image disturbance, in case management study, 447 Bowel, altered function of, in critical care unit, 368 neurogenic, in spinal cord injury, 407
Bowel regimen, in spinal cord injury, 407
Bradycardia, in spinal cord injury, 404–405
Brain. See Severe brain injury (SBI).
Brain death, definition of, 422

Breakthrough pain, management of, in cancer, 272 opioids for, 198

short-acting analgesics for, 276 Breathing, in COPD, pursed lip, 380 self-management of, 380–381 Bronchodilators, in COPD, 381–382

Cancer, pain management in, 272 Cardiac enzymes, diagnostic, in chest pain, 264 Cardiac function, in rehabilitation, 370–371

in spinal cord injury, 403–405 Cardiac rehabilitation, 389–397

definition of, World Health Organization, 390 family in, 391–394 education of, 391–392 goals of, 390–391

historical evolution of, 389–391 issues in, future, 395–396

patient teaching in, 391–392 psychosocial issues in, 394–396

research in, 395-396 return to work and, 395

risk factor identification and modification in, 392–395 spouse support in, 395

Cardiopulmonary resuscitation, family presence during, 569–575

Cardiovascular system, in assessment, of chest pain, 260 Caregiver burden, in community re-entry, after critical illness, 455

Care giver error, in critical care unit, 368 CareMaps, for pain management, 302–303 Case incident, as learning strategy, 8–10 Case studies, as learning strategy, 8–10

Catastrophic injury, case management of, 443–448 assessment and records review in, 444

case study of, 444–447 family meeting in, 444–445

nursing diagnoses and care plan in, 446–447 rehabilitation nurse case manager in, activities of, 447

community re-entry and, 447 role of, 445

role clarification tool in, 445 cost of, 443

Categorical rating scale (CRS), in pain assessment, 183, 186, 188 studies of, 183–185

Central pain mechanisms, brain processing of nociceptive information, 174–176 central sensitization and, 172–175 dorsal born peuros. 171

dorsal horn neurons, 171 inhibitory, 174

in spinal cord, 171–172 Central sensitization, defined, 172 in pain, 172–174

Cerebral death, definition of, 422 Change agents, in evidence-based practice, 323, 594 in skin care, 559–560, 562 Chat rooms, in learning, 77-78 Chest, blunt trauma to, epidural analgesia for, 250-251 nerve blocks in, intermittent intercostal, 253 interpleural catheters, 253 Chest pain, acute cardiac, 259-269 assessment of, 259-265 treatment of, 265-267 cardiac (angina pectoris), 260-261 coronary risk factor modification and, 267 management of, risk stratification-based, 266-267 oxygen for, 266 pharmacologic agents for, 265-266 diagnosis of, 263-265 chest radiograph in, 263-264 electrocardiogram in, 263 in diabetic person, 164 laboratory values in, 264 risk stratification in, 264-265 differential diagnosis of, 260-263 physical examination in, 263 noncardiac, 262 Chest radiography, diagnostic, in chest pain, 263-264 Children, pain in, assessment and management of, 281-295 assessment of, 283-285 behavioral, 284-285 in neurologic impairment, 285 denial of, 282 expression of, developmental differences in, 282-283 management of, 283-291 nonopioid analgesics for, 287-288 nonpharmacologic management of, distraction, 290-291 guided imagery, 290 opioids for, 285-287 administration of, 288-289 discontinuation of, 287 physical dependence and, 287 pharmacologic agents for, 285-289 practice implications of, 291 procedural, local anesthetics for, 290 role of parents in, 289-290 recognition and treatment of, barriers and misconceptions to, 282-283 unrelieved, effects of, 281-283 Choline magnesium trisalicylate (Trilisate), for pain, in children, 288 Chronic obstructive pulmonary disease (COPD), activity and, 383-384 breathing in, 380-381 energy conservation in, 384 etiology of, 375-376 exercise prescription for, 383-384 family education and, 382-383 hospitalization for, 375 love, belonging, sexuality in, 384 medical management of, 381-382 patient profile in, 376 pulmonary function in, assessment of, 378-380 Chronic pain, analgesics for, dosing of, titration to individual comfort, 276-277 general principles in, 276

assessment of, 273-274

pain and medication history in, 274

dosing of, around-the-clock, 276

following traumatic injury, case study of, 254-255 development of, 254 management of, 253-255 types of, 254 in cancer, management of, 272 management of, in critical care settings, 271-280 noncancer, description of, 272 opioids for, equianalgesic dosing of, 277-278 pharmacologic management of, postdischarge, 278 tolerance, physical dependence, addiction and, 277 versus acute pain, assessment differences, 274-275 with an acute pain episode, case history, 275-276 Clinical pathways, for pain management, 302-303 research incorporation in, 59 Clinical protocols, for pain management, 301-302 Cognitive learning theory, 2-3 Cold, for pain, 226-227 Coma, after severe brain injury, 422-423 emergence from, demographic variables in, 424 diagnostic and prognostic indicators for, 424-426 neuroimaging studies and, 425 neurologic signs and, 424-425 neuromedical markers and, 425 prognosis for, 427-428 psychologic ratings and, 425-427 severity indices and, 425 outcomes in, 427 Coma Near Coma Scale, and emergence from coma, 425-426 Coma Recovery Scale, and emergence from coma, 425-427 COMFORT scale, for pain assessment, in children, 285 Communication, culturally sensitive, 523, 526 accents and tones in, 67 eye contact in, 67-68 vocabulary in, 67 in end-of-life care, 579 listening in, 526 pain response and, 155 patient, in pain assessment, 182 with survivors and families, 353 Community re-entry, after critical illness, 449-461 and impairment, disability, handicap, 449-450 components of, 449 educational needs in, 452 emotional challenges in, 453-455 functional restoration for, 452-453 health maintenance and promotion in, 450-452 interdisciplinary team in, 452-453 life skills for, 457-459 medication management in, 451 needs for, educational programs, 459 housing, 457-458 transportation, 458 vocational opportunity, 458-459 Neumann Systems Model and, 449-451 nursing interventions in, community-based, 454-455 rehabilitation nurse case manager and, 447 self-help groups and, 454 skilled services in, 450-451 social issues in, attendant care, 455-456 family, 455 social integration, 456-457 stressors in, 453-454 support groups and, 454 technologic assistance in, 451-452

Middle Tennessee, 29-31

Competency, nurse, in pain management, 159-160 Critical care education. See also Parkland Health and Computer-assisted education, 73-81 Hospital System attitudes toward, 79 controversies in, 21 future of. 21-22 evaluation of materials in, 78-79 generalist versus specialist, 21 in patient teaching, 80 Parkland Health and Hospital System models for, Internet in, chat rooms and, 77-78 distance learning and, 75-76 multimedia in, 73–74 interactive, 74–75 internship in critical care and trauma, 36-40 residency in critical care, 40-45 technical difficulties with, 79-80 preceptors in, 21 Critical care nurse specialist certification, 17 virtual reality in, 78 web-enabled, 76-77 Critical care practice, common routines in, challenge to, Concept mapping, in learning, 7-8 Conflict resolution, in preceptor training, 133-134 questions in, research answers to, 55-56 Critical care procedures, updating of, 59 Confusion, postoperative, in elderly patient, 417 Consent, to therapeutic touch, 360 Critical care research clinician involvement in, 53-62 Consortium, definition of. 28-29 Continuing education, categories of, 26 integration into clinical practice, barriers to, 56, 60-61 overcoming of, 56, 60-61 components of, 26-28 participants, 26-27 latest, incorporation into clinical pathways, 59 Internet resources for, 60 place, 27 price, 27-28 solving clinical practice questions or issues with, product, 27 59-60 promotion, 27 updating nursing practice with, 58-61 strategies to attract clinician interest in, 53-58 definition of, 25-26 financial concerns of, cost reduction techniques, 28 address practice questions with research, diminishing financial resources, 28 program costs, 28 challenge common practice routines, 55 goals of, 26 conduct clinically relevant research study. 56-58 mentoring in, 124-126 principles of, 25-26 emphasis on latest research, 54-55 "walking the talk" of evidence-based practice, standards for, 26 Contractures, spinal cord injury and, 408 51-55 Control, consortium and, 33 Critical care research study, clinically relevant, survivors and, 351 identification of questions for, 56-58 Contusion, pulmonary, from blunt chest trauma, mentoring the team and, 58 projects to ensure clinician success, 56 437-438 Critical thinking. See also Simulation. Coping, after critical illness, 453 application in critical care practice, 95 definition of, 453 Coping strategy(ies), for nursing stress, 466-468 critical thinkers and, attributes of, 94 history and definitions of, 94-95 for stress, delegation of tasks, 467 music, 467 questions for, in preceptorship training, 131 quiet time, 467-468 teaching of, 95-100 supportive colleagues, 467 simulation in. 93-103 Cost reduction, in continuing education, 28 versus traditional teaching, 96 in critical care consortium, 32 Crying, requirement of oxygen, increased vital signs Crisis, patient and family, 84-85 expression, Sleeplessness (CRIES) scale, for Critical care consortium, 25-34. See also Continuing assessment of postoperative pain, in infants, education; Middle Tennessee Critical Care 284-285 Program Consortium. Cultural and ethnic diversity. See also Cultural competence: Cultural sensitivity, advantages of, 32 cost reduction, 32 cultural competence and, 64 participant interaction, 32 foreign-educated nurse and, educational preparation program enhancement, 32 of, 70 strengthened community spirit, 32 language differences and, 69-70 Baltimore, 31 special needs of, 68-70 consortium definition and, 28-29 in critical care education, 63-72 disadvantages of, 32-33 of nursing staff, intrapersonal attitudes and, control issues, 33 64-65 inability to meet diverse learning needs, of registered nurses, 63 social organization and, authority figures in, 66 Emory University, nursing school at, 31 communication in, 67 guidelines for development of, 33 family in, 65-66 in continuing education, 25-29 group tersus individual needs in, 66

time orientation in, 67-68

Cultural competence, 64, 521-530 as challenge of, 522 as process, egalitarian relationship in, 523 knowledge in, 522-523 research in, 523-524 culture of critical care and, 522 definition of, 522 language in, 528 model of care in. 527-528 awareness in, 527 cultural skill in, 527 encounter in, 528 knowledge in, 527 self-knowledge in, 527 nursing values and, Western middle class, 521-522 patient assessment and, accommodation of cultural practices in, 523, 525 beliefs in, 523 communication in, 523, 526 personal space in, 526 social and family structure in, 526 time concept in, 526-527 philosophy of culture and, 521 practice implications of, 528 research in, 524 strategies for, 528 Cultural diversity, cardiac rehabilitation and, 391-392 Culturally competent care, patient cultural practices in. 523, 525 Cultural sensitivity, incorporation in critical care education, 71 minority nurses and, 70-71 Culture, ethnic, pain response and, 154-155 of critical care, critically ill patient and, 154-156 pain management and, 151-166 evidence-based practice in, 156-157 family education in, 156 nurse and, 156-158 nurse competency in, 159-160 nursing practice for, 158 patient education and, 156 process and outcome management and, 160-161 standards and guidelines for, 157-158 unit culture in, 158-161 unit leadership in, 158-159 values clarification in. 159 of intensive care unit, 522 end-of-life care and, 577, 581 Cutaneous interventions, for pain, heat and cold, massage, 227

Deep venous thrombosis (DVT), hip fracture rehabilitation and, 417 in spinal cord injury, 405 risk of, following orthopedic trauma, 436 Depression, in orthopedic trauma, 439 pain experience and, 155-156 Dexmedetomidine, for postoperative sedation, 217 Dextromethorphan, adjuvant use of, with opioids, 236 Diabetes mellitus, management of, in cardiac rehabilitation, 394 Disability, definition of, 450 Distance learning, 75-76 Distraction, defined, 222 for pain management, in children, 290-291 techniques for, 222-223 for procedural pain, 237, 239 for surgical pain, 237, 239 Dorsal horn neurons, in central sensitization, 171, Dreyfus model, of skill acquisition, 2-4 Drug abuse, orthopedic trauma and, 439-140 Elderly patient, cardiac rehabilitation of, teaching in, Electrocardiogram (ECG), in chest pain, 263 Elimination, in rehabilitation, 371 Emotion, of survivors, 351, 353 Empowerment, of patient, in pain treatment, 322 End-of-life care, in intensive care unit, 577-585. See also Good death. advance directives in, 580 cure and, 577-578 deficiencies in, 577 economics and, 578 good death and, definition of, 578-579 provision of, 579-580 modern technology and, 578 nurses' issues in, 577-578 palliative care in, models of, 581-583 role of, 580 of dying patients, elements required in, 581 Environment, of critical care, 151 anxiety-pain cycle and, 151-153 family-patient interaction and, 154 noise in, 153 sleep deprivation and, 153 Epidural analgesia, case study, 252-253 contraindications to, 251 in blunt trauma, 250-251 in children, 289 opioid, 213-214, 250-252 adverse effects of, 214 postoperative, comparison with systemic opioids, side effects of, 251-252 Equianalgesic dosing, 209, 211, 277-278 Ethical dilemmas, ethical principles in, 342-346 Ethical principle(s), in rehabilitation, autonomy, beneficence, 342, 345

informed consent, 344

nonmaleficence, 343, 345

justice, 343, 345

Debridement, of pressure ulcers, research evidence for, 553
Decision making, nurse involvement in, 371–372

transcutaneous electrical nerve stimulation,

Cyclooxygenase 2 inhibitors, for pain, in children, 288

227-228

vibration, 226-227

in intensive care, 216-217

Ethics, in critical care and rehabilitation, case examples of 344-346

in critical care versus rehabilitative care, 342 Ethnocentrism, 64

Evidence-based practice, adoption in, extent of,

guideline for, nurse and physician adherence to, 597-598

rate of, 596-597

variables in, nurse and physician characteristics,

organizational, 598-599

barriers to, 587-588, 598

communication in, change champions in, 594 core groups for, 594

education in, 591

opinion leaders in, 591, 594

outreach in, 593-595

critical care nurse and, 156-157 definition of, 476, 497, 587

description of, 319

innovation in, diffusion of, 588

discussions of change champions and opinion

leaders and, 595 feedback and audit of, 595

focus groups for, 595

guidelines for, 589

nature and credibility of, 589

performance gap measurement of, 595

practice prompts for, 589, 591-592

trial of, 595

user characteristics in, 595-596

users of, 595-596 in nursing, 497-498

in pain management, 319-327

barriers to, identification and removal of, 322-324 knowledge, attitudes, practice and, of practitioners and patients, 321-322

organizational support of, 320-321

support of, data collection and documentation in,

in pressure ulcers, prevention and management of, 547-554, 556-567

in response to nursing shortage, 511-519

in skin care, University of Colorado evidence-based practice model, 556-567

interventions in, 588-590

Iowa model for. See lowa model of evidence-based practice.

Iowa model for quality care, 497-509

research utilization and, 498

social system and, 596

translation into practice, 587-604

translation of research into, 587-604

Exercise, in cardiac rehabilitation, history of, 390

Exercise prescription, for COPD, 383-384

Exercise training, in cardiac rehabilitation, 392

Eye contact, culture and, 67-68

Faces, legs, activity, cry, consolability (FLACC) scale, for pain assessment, in children, 284

Faces scale, for pain assessment, 187 in children, 283-284

Family. See also Patient and family education.

education of, by ICU nurse, 156

in COPD, 382-383

in cardiac rehabilitation, 391-394

in community re-entry, 455

in culturally competent care, 526

of dying patient, 582, 583

pain management and, 154 participation in education, 90

Family-patient interaction, pain management and, 154

Family presence, benefits of, 572

definition of, 570

during cardiopulmonary resuscitation, 569-575

case examples of, 569-570

guidelines for, 570

literature on, family members in, 570-571

health care providers in, 571

patients in, 572

research needs in. 572-573

litigation and, 572

outcomes of, prayer influence on, 572-573

policy for, implementation of, 573-574

Fellowship programs, for critical care practice, 19 Fentanyl, for procedural pain, in children, 286

in traumatic injury pain, 247

on intensive care unit, 209

Fentanyl transdermal patch (Duragesic), for chronic pain, 277

Fertility, spinal cord injury and, 407

Financial burden, in community re-entry, after critical illness, 455

Financial issues, for survivors, 352

Flumazenil (Romazicon), for benzodiazepine reversal,

Fracture blisters, in orthopedic trauma, 435-437

Gate control theory, of pain, 174

Gender differences, pain and, tolerance of, 154

Generalist education, versus specialist education, 21

Good death, definition of, 578

goals for, 578

nurses' self-care and, 579-580

prognosis and, 578-579

GP IIb/IIIa inhibitors, for cardiac chest pain, 266-267

Graduate nursing education. See also Master's nursing education.

at Master's level, 13-15, 20

mentorship in, 123-124

Grief, following spinal cord injury, 408

Guided imagery, for pain management, in children, 291

Handicap, definition of, 450

Heat, for pain, 226-227

Hemorrhage, gastric, iatrogenic, 366

Heparin, for cardiac chest pain, 265, 266

Hip fracture, cognitive dysfunction and, 412

femoral neck, 412-413

incidence of, 411

in elderly patients, rehabilitation following, 411-419

internal fixation for, 413, 416

intertrochanteric, 413-414 osteoporosis-related, 412 predisposing factors for, 411-412 rehabilitation following, interdisciplinary team for, safety inventory for elders and, 412 subtrochanteric, 413-414 total hip replacement for, 413, 415 types of, 412-414 Humor, as distraction technique, 223 Hypercapnia, in COPD, 381 Hypotension, in spinal cord injury, 404 orthostatic, 405 Hypoventilation, in spinal cord injury, 402-403 Hypovolemic shock, in spinal cord injury, 405 Hypoxemia, in COPD, 381 in spinal cord injury, 402-403

latrogenesis, in critical care, rehabilitation and, 365-373 latrogenic disorder, definition of, 365 Illinois State Nurse Practice Act, unlicensed assistive personnel and, 106 Immobility, adverse consequences of, 366-367 Impaired driver, orthopedic trauma and, 439-440 Impairment, definition of, 450 Infants, pain in, assessment of, 283 Infection, iatrogenic, 367-368 management of, in rehabilitation setting, 369-370 nosocomial, 367-368 prevention of, in COPD, 382 sources of, catheters, 368 Infection control, in skin care, data from, 557-558 Inflammatory response, and peripheral sensitization, in pain, 169-170 mediators in, 169-170 Informed consent, in critical care and rehabilitation,

Innovation, in evidence-based practice, diffusion of,

discussion of change champions and opinion leaders and, 595 feedback and audit of, 595 focus groups for, 595 performance gap measurement of, 595 trial of, 595 user characteristics in, 595–596 users of, 595–596 lnservice education, 26 Intensive care unit (ICU) syndrome, definition of, 366 Interdisciplinary team, in community-based rehabilitation, 452–453 in community re-entry, after critical illness, 452–453 in rehabilitation, 357–338

International Association for the Study of Pain (ISAP), pain management and, standards and guidelines for, 157 Internet, as research tool, 60 as teaching tool, 90–91

as teaching tool, 90–91 chat rooms and, 77–78 in continuing education, 75 in mentoring, 127 in patient and family education, 90–91

of hip fracture patient, 415

Internship in critical care and trauma, Parkland Health and Hospital System, budgetary considerations in, 39–i0 course content topics in, 51–52

course content topics in, 51–52 course requirements in, 38–39 curriculum design in, 37–38 evaluation methods in, 39

faculty and supervision in, 38 intern-staff nurse interface in, 38

objectives of, 36 participant learning objectives of, 46–50 recruitment and admission processes in, 36–37

structure of, 36–37 success of, 40 transition from intern to staff nurse and, 39 Intraspinal analgesia, contraindications to, 251

side effect of, 251–252 lowa model of evidence-based practice

original model, utility of, 498–499, 501 revision of, 498, 500 adoption practice and, 506–507

adoption practice and, 500–507 alternatives to research evidence in, 506 evaluation of structure, process, outcome data and, 507

health care market changes and, 501 impetus for, 501–502 institution of change and, 507 pilot changes in practice and, 506 priority of topic and, 503 research in, critique and synthesis of, 504–505

esearch in, critique and synthesis of, 504–50 insufficiency of, 505–506 retrieval of, and related literature in, 503–504 sufficiency of, 505

team in, 503 triggers in, 502–503 user feedback and, 501

Joint Commission on Accreditation of Healthcare Organizations (JCAHO), pain management and, guidelines for, 157 standards for, 157, 271, 300–301 Justice, in critical care and rehabilitation, 343, 345

Ketamine, adjuvant, in balanced analgesia, 204 with opioids, 236 during painful procedures, 238–239 for intubated patients, 217 Ketorolac, for pain, in children, 288 in intensive care, 215–216 surgical and procedural, 236 Knowledge, cultural, 527

Laminae of Rexed, in pain, 171–172 Language, cultural and ethnic diversity in, 69–70 Learners, argumentative, 145 high-attention, 145 resistant. See *Resistant learners*. Learning. See also Resistant learners. as transformation, 121 experiential, 4-5 incidental, 121-122 mentor in, 121-122 preferences in, assessment of, 4 problem-based, 6-7 resistance to, 137-140. See also Resistant learners. reasons for, 137-140 strategies to reduce, 140-141 creating a need, 143 creating a positive first impression, 142 dealing with resistant behaviors, 144-145 developing human bond, 142-143 formative evaluations in, 144 giving learners sense of control, 143-144 involving participants, 144 program design and, 141-145 Learning styles, experiential, 5-6 Jungian description of, 4-5 Learning theory. See also Adult learning theory(ies).

application to teaching strategies, 1–11 Level of consciousness, assessment of, for prognostic

purposes, 429 Lidocaine-prilocaine combination (EMLA), for

procedural pain, in children, 290 Listening, to survivors, 352–353

Local anesthesia, adjuvant, in pain management, 203–204

for procedural pain, in children, 290

for surgical pain, preemptive administration of, 236–237

in balanced analgesia, adverse effects of, 204 long-acting, continuous subcutaneous administration of, 103–104

Locked-in syndrome, after severe brain injury, 424 Loss, survivors and, 351

Massage, superficial, for pain, 227 Master's nursing education, essentials of, 13–15, 20 McGill Pain Questionnaire (MPQ), studies of, 183–184 McGill Pain Questionnaire Short Form (MPQSF), in assessment, of pain, 188

Mechanical ventilation, weaning from, opioids and, 202–203

Medication administration systems, automated, 298–299 Medication history, in assessment, of chest pain, 260 Mentor. See also *Mentoring: Mentorship: Preceptor*.

adult student and, 122 definition of, 120

learning and, as link in, 121–122

lifelong, 126–127 role of, myths about, 119

realities of, 119–120 versus teacher, 122

Mentoring. See also Mentor; Mentorship.

definition of, 120

in nursing, opportunities for, 127–128

research on, 126-127 Internet in, 127

of teachers, 124

relationship benefits in, 120

versus preceptor relationship, 124

women and, 120-121

Mentorship. See also Mentor; Mentoring.

as teaching strategy, 119–129

definition of, 120

for business women, 124-125

for continued learning, 124-126

for transitioning in nursing, 125-126

in academic setting, 122-124

in nursing education, 122–123

in undergraduate nursing education, 123 in graduate nursing education, 123–124

mentoring moments in, 127

Meperidine (Demerol), contraindications to, in chronic pain, 277

contraindication to, 199, 286-287

danger of, 235

Metered dose inhaler (MDI), in respiratory medication administration, 382

Methadone, in opioid discontinuation, 287

Methicillin-resistant Staphylococcus aureus infection, 367

Mexican-American culture, cardiac rehabilitation and, 391–392

Midazolam, for conscious sedation, 204

Middle Tennessee Critical Care Program Consortium, current status of, administrative structure in, 29–30

evaluation structure in, 30-31

financial structure in, 30

description, purpose, objectives of, 31

historical development of, 29

Minimally conscious state (MCS), after severe brain injury, 423–424 emergence from, 428

Mobility, impaired, in case management study,

rehabilitation and, 370

Morphine, continuous infusion, in infants, 286 on intensive care unit, 208–209

Morphine sulfate, for cardiac chest pain, 265, 266

Motor vehicle accidents, orthopedic trauma from, 433

prevention of, interventions for, 440 spinal cord injury in, 399

Movement, as distraction technique, 223 Multimedia, in computer-assisted education.

73–74 interactive, 74–75

Multimodal balanced analgesia (balanced analgesia), 195–206

for surgical and procedural pain, 234

overview of, 195–196 Musculoskeletal trauma, mechanisms in, 438

rehabilitation following, 438–439

Music, as distraction technique, 222–223, 225

Myocardial infarction, study of African American, Korean, and white patients, 532–533

patient sample in, 532–533

risk factors in, 534-535

subject demographics in, 533–534

symptoms in, atypical, 532, 534–537 comparison in African American, Korean, white patients, 531, 534–536

importance of, 531

racial differences in, 531-539

typical, 531, 534-537

Nalbuphine, for pruritus, with epidural opioids, 214 Naloxone (Narcan), for opioid reversal, 197, 202, 214, 235 in respiratory depression, in children, 287

Nerve blocks, for pain management, in trauma care, 253 preoperative, in pain management, 203

Neurogenic shock, in spinal cord injury, 403 Neurotransmitters, inhibitory, in pain, 174–175 Newborn, pain in, and future pain perception and

behavior, 281–282 Nitrates, for cardiac chest pain, 265 topical, 267

Nitroglycerin, for cardiac chest pain, 265

Nociceptors, afferent fibers of, in pain transmission, 168–169

Noise, pain and, 153

Nonmaleficence, in critical care and rehabilitation, 343, 345

Nonopioid analgesic(s), acetaminophen, 215

adjuvant use of, 214 aspirin, 214–215

cyclooxygenase 2 inhibitors, 216-217

dexmedetomidine, 217 in critically ill patient, 196–197

in traumatic injury pain, 248, 250 ketamine, 204, 217

nonsteroidal antiinflammatory drugs, 215–216

tramadol, 217
Sonsteroidal antiinflammatory drugs (NSAIDs), adve

Nonsteroidal antiinflammatory drugs (NSAIDs), adverse effects of, 197

for pain, chronic, 273 in children, 288

procedural, 236–237

gastrointestinal adverse effects of, 248-249

in balanced analgesia, 196 in intensive care, 215–216

dosing regimens for, 216 side effects of, 215

Nosocomial disorder, definition of, 365

Numerical rating scale (NRS), in assessment, of pain, 183, 186–187

Nurse-controlled analgesia, in children, 288–289

Nurse practitioner, training of, preceptor/student relationship in, 123–124

Nursing narratives, as learning strategy, 8

Nursing practice, pain management and, pharmacologic interventions in, 158

Nursing shortage, demographics in, 511–512

evidence-based practice example, chief operating officer in, 512

faith-based spirit committee in, 513–514 operations team meeting in, 513

organizational culture and, 511-512

recruitment and retention in, 514 action plans and, 517

committee for, 514 competency-based compensation program for,

514, 516–517 education and, 515 goals in, 515

literature review for, 515–516

mind-mapping in, 515

patient-care focus and, 516–517 quality of work life and, 517

strategic plan for, 514–518

turnaround plans in, 512-513

Nutrition, altered, in case management study, 447

in cardiac rehabilitation, 393-394 in COPD, 381

in elderly patient, assessment of, 417 in rehabilitation, 371

Occupational therapist, in rehabilitation, 337 Opinion leaders, evidence-based practice and, 322–323

Opioids, 197-203

addiction issues with, 198, 211, 213

adverse effects of, 235 agonist-antagonist, 197

common doses of, 209, 210

discontinuation of, 202

in children, 287

dosing of, around-the-clock *versus* as needed, 198

equianalgesic, 209, 211

in patient-controlled analgesia, guidelines for, 249

for breakthrough pain, 198

for chronic pain, titration of, 273

for procedural pain, preemptive administration of, 236

for surgical pain, 234-236

for traumatic injury pain, 247

in children, 285-289

in patient-controlled analgesia, 198-199

issues with, tolerance, physical dependence, addiction, 198, 211, 213

misconceptions about, 196

mu-agonist, 197

pharmacokinetics of, 209, 211

physical dependence on, 198, 211, 213

in children, 287

reversal of, 214, 235, 287

routes of administration for, 199-201

continuous infusion, 213

epidural, 213-214

intramuscular, 199-200

intraspinal, 200

intrathecal, 235

intravenous, 200

oral, 200-201, 213

patient-controlled analgesia, 234-236

spinal, 235 transdermal, 213

transmucosal, 213

selection of, 199

selection of, 199

algorithmic approach to, 209, 212

side effects of, 201-202, 209

tolerance to, 198, 211, 213, 236

undermedication with, prevention of, 235–236

Orientation, to critical care unit, 131–136

buddy system in, 131–132 models for, 131–132

other models of, 135

preceptor program in, 132

preceptorship in, 131-136, 132-133

unit-based educator in, 132

Orientation programs, in continuing education, 26

Orthopedic trauma, depression following, 439 from motor vehicle accidents, cost of, 433 interventions in, 440 medical problems following, 433-442 circulatory, 436-437 integumentary, 434-436 musculoskeletal, 438-439 prevention of, 439-440 pulmonary, 437-438 rehabilitation following, early, benefits of, nursing practice guidelines for, 434 process of, 434 Orthostatic hypotension, in spinal cord injury, 405 Outcomes, indicators of, in pain management, in rehabilitation, 338-339 in severe brain injury, 421-424 Outcomes research, attribution of cause and effect in, basic model for, 492 measurement issues in, errors, 491-492 reliability, 491 rules and measurement, 490-491 validity, 490-491 nurse-sensitive, classification of, 487 conceptualization of, 490 context of, 488-490 improvement of practice and, 487-495 indicators for, patient-focused, 487-488 initiatives in standards and language for, 487-490 outcomes in, 488-489 perspectives of, 488-490 use of, in improvement of clinical practice, 492-495 determination of applicability, 493-494 models for, 493 Oxycodone, controlled release (OxyContin), in

Pain, acute, defined, 167 in development of chronic pain, 254 versus chronic, 167-168 assessment of, 181-194 behavioral indicators of, 188-190 defined, 182 documentation of, 190-191 guidelines for, 190, 192 issues in, 182-183 literature review of, 183-186 measurement tools for, 186-190 multidimensional tools in, 188 nursing assessment and flow sheet for, 191 physiologic indicators of, 188-190 practitioner knowledge and attitudes in, 321-322 rating scales for, 183 recommendations for, 190, 192 timing of, 190 tools for, 324 unidimensional scales for, 186-188

balanced analgesia, 201

supplemental, in COPD, 380

Oxygen, for cardiac chest pain, 266

in critical care setting, 271-280 cognitive-evaluative component of, cortical processing of, 176 definitions of, 233 gate control theory of, 174 in critically ill patients, causes of, 181 inflammatory, 233 inhibition of, neurotransmitters in, 174-175 receptors in, 174-175 in traumatic injury, 243-257 management of, assessment in, 273 medication in, 273 misconceptions in, 195-196 principles for, 272-273 mechanisms in, central, 171-175 peripheral, 168-170 neuropathic, description of, 275 nociceptive, description of, 275 nonpharmacologic treatment of, cognitive and behavioral techniques, 221-225 cutaneous interventions, 225-228 distraction, 221-223 relaxation, 221, 223-225 pathophysiology of, 167-179 acute versus chronic pain, 167-168 central mechanisms in, 171-176 implications for nursing practice, 176-177 peripheral mechanisms in, 168-170 peripheral sensitization in, 233-234 physiology of, nurses' knowledge, for medication administration, 177 postoperative, therapeutic touch and, 357-359 procedural, in children, local anesthetics for, parents' role in, 289-290 local anesthetics for, 236-237 nonsteroidal antiinflammatory drugs for, 236 opioids for, 234-236, 239 relaxation for, 237 research on, evidence-based practice and, 541-546 sensory-discriminative component of, affective-motivational, 176 cortical processing of, 176 surgical, local anesthetics for, 236-237 nonsteroidal antiinflammatory drugs for, 236 opioids for, 234-236, 239 relaxation for, 237 surgical and procedural, management of, 233-242 undertreatment of, in cancer, 272 nurses and, 17 Pain management, CareMaps for, 302-303 clinical pathways for, 302-303 clinical protocols for, 301-302 documentation of, 303-304 evidence-based practice for, 319-327 in hip fracture rehabilitation, of elderly patient, organizational perspective, 297-309 delivery systems in, 298-300 evaluation of outcome and, 306-307 practitioner, 298

chronic, following traumatic injury, 254-255

processes supporting, 304-306 change of shift report and, 304-306 collaboration, 306 informal communication, 306 nurse discretion, 306 staffing, 298 standards, 300-304 structures supporting, 297-304 patient satisfaction with, studies of, 314-316 patients rights and, 299-300 process and outcome management in, 160 quality improvement approach to, 311-317 standards and guidelines for, Agency for Health Care Policy and Research, 157 Joint Commission on Accreditation of Healthcare Organizations, 157 specialty organizations, 157-158 standards in, for care, 300-301 Pain-O-Meter (POM), in pain assessment, 188 Pain thermometer, in pain assessment, 187 Palliative care, definition of, 580 in end-of-life care, role of, 580 in intensive care unit, interdisciplinary approach to, admission in, 582-583 bereavement and family support in, 583 decline and ethics consultation in, 583 fluctuation of condition in, 582-583 withholding or withdrawing of support in, 582-583 medical model for, four-phase, 581-582 WHO model for, 580 Paralytic ileus, in spinal cord injury, 406 Parent-controlled analgesia, in children, 288-289 Parents, support role of, in painful procedure, 289-290 Parkland Health and Hospital System, internship in critical care and trauma. See also Internship in critical care and trauma. residency in critical care, 40-45. See also Residency in critical care. success of program, 44-45 resource sharing in, 45 Patient, pain management for, 314-316 empowerment in, 322 self-report in, 182-183, 186, 273-274, 324 Patient and family education, advanced practice nurse role in, 86-87 barriers to, changes in nursing resources, 86 cultural and language, 85-86 environmental stress, 85 patient and family crisis, 84-85 education and learning in, adult learning theory in, 87-88 assessment in, 88 family participation in, 90 Internet in, 90-91 teachable moments in, 88-89 teaching tools and strategies in, 89-90

historical traditions of, 83-84

technicians and, 113

financial implications of, 112-113

Patient care technician. See also Patient Care

annual competency-based program for, 111

critical care program for, paramedics and emergency

decentralization versus centralization of, 111-112

Technician Critical Care Program.

in University of Chicago Hospitals, critical care program for, 110-114. See Patient care technician Critical Care Program. nursing implications of, 113-114 performance checklist for, 115-118 role of, 109-110 termination of, 112 Patient Care Technician Critical Care Program, clinical monitoring and evaluation of, 111 completion criteria in. 111 Core Orientation in, 110-111 in patient centered care model, 108-109 interview process for, 110 teaching format in, 110 Patient-controlled analgesia (PCA), in elderly patients, 248 in traumatic injury pain, 247-249 opioids in, 198-199, 234-235 dosing of, 249 Patient education, by ICU nurse, 156 in pain management, materials for, 299 Patients rights, in pain management, 299-300 Patient teaching, computer-assisted, 80 Pediatric patient. See also Children; Newborn. pain management in, 281-295 Peripheral pain, nociceptive primary afferent fibers in, 168-170 Peripheral sensitization, in pain, 233-234 inflammatory response in, 169-170 Phantom limb pain, postamputation, 254 Phenomenology, in learning, 2-4 Physiatrists, in rehabilitation, 337 Physical dependence, on opioids, 198, 211, on opioid therapy, 277 Physical therapy consultation, for activity/exercise program, in COPD, 383 Platelet inhibitors, for cardiac chest pain, 266 Pneumonia, nosocomial, 367 Poikilothermia, in spinal cord injury, 405-406 Polypharmacy, elderly patient, hip fracture rehabilitation and, 416 Preceptor, in critical care education, 21 in graduate nursing education, 123-124 in orientation to critical care unit, 131-136 documentation of completion, 134 mentoring of, 132-133 orientee and, 132-133 selection of, 132 training of, education process in, 133-134 participant roles in, 133 mentoring versus, 124 Preceptorship, definition of, 132 in orientation to critical care, basic competencies in, critical thinking questions in, 134 in orientation to critical care unit, 132-133 advantages of, 134-135 disadvantages of, 135 future enhancements of, 135 preceptor selection for, 132 preceptor training for, 133-134 Prejudice, 64-65 Prescriptions, preprinted, for pain management.

Pressure ulcers. See also Skin care. debridement of, research evidence in, 553 definition of, 435, 547 epidemiology of, 555 from immobility, 366-367 grading and staging systems for, 547 incidence and prevalence of, 547 in orthopedic trauma, etiology of, 435-436 prevention of, 435 prevention and treatment of, in University of Colorado evidence-based practice model, 556-567 research evidence and, 547-554 prevention of, research evidence in, high-tech pressure relief in, 551-552 low-tech constant pressure supports in, 550-551 pressure-relieving surfaces in, 549-550 systematic reviews in, 549-550 techniques for, 548 risk calculators for, consensus in, 548 statistical methods in, 548 treatment of, algorithm for, 562, 564-565 research evidence in, 552-553 wound dressings for, research evidence in, 553 Process, indicators of, in pain management, 160 Professional organizations, mentoring relationship opportunities in, 127-128 Propofol (Diprivan), adjuvant, in balanced analgesia, 204 during painful procedures, 238-239 Protégé, interaction with mentor, 120 Pulmonary embolism, following orthopedic trauma, 136-137 Pulmonary rehabilitation, 370 after COPD exacerbation, 375-387 in COPD, goals in, 376 self-efficacy for, 377-378 self-management of breathing in, 380-381 traditional models of, 376-37

Quality improvement, principles of, 311–312
Quality improvement program, for pain management, 312–314
development of, 313–314
guidelines for, 312–313
multidisciplinary committee for, 313
patient satisfaction in, 314–316
process of, 313–314
staff education in, 314

Rancho Level of Cognitive Function, and emergence from coma, 425
Rehabilitation, after hip fracture, **411–419**after orthopedic trauma, secondary problems in. **433–442**after severe brain injury, **421–431**after spinal cord injury, **399–409**and rehabilitation nursing, **335–340**cardiac, **389–397**care delivery in, **337–338**community re-entry in, **449–461** 

definition of, 336 ethical issues and, 341-347 goals of, 336 iatrogenic complications in, 365-373 of survivor. 349-355 philosophy of, 336, 369 pulmonary, 375-387 teams in, interdisciplinary, 415, 452-453 multidisciplinary, 337-338 therapeutic touch and, 357-363 Rehabilitation nursing, definition of, 336 Relaxation techniques, for pain, components of, 223 imagery, 224-225 principles in, 224 slow rhythmic breathing, 224 for procedural pain, 237, 239 for surgical pain, 237, 239 Remifentanil, for pain, 199 Research. See also Critical care research. in critical care education, 54-55, 100-101 on clinical pathways, 59 on mentoring, 126-127 on simulation, in teaching, 100-101 translation into practice, considerations for critical care investigators, 587-604. See also Evidence-based practice Thunder Project II on pain, 541-546 nurse role in, 545 pain descriptors in, 544-545 patients in, 542 procedure evaluation in, 543-544 suctioning in, 543 turning procedure in, 542-543

Research strategies, for clinicians, 605–615
barriers to, data collection, 613–615
motivation and, 613
protocol development, 611–612
in service setting, capturing clinical questions,
FOCUS method for, 608–609
STICK method for, 607–608
literature review in, 610, 612
prioritizing clinical questions and, 608, 610–611
question and solution generation, 606–607
research teams for, 610–611

543

Research utilization

wound dressing change and drain removal in.

adopters in, types of, 482–483 concept of, 475–476 as interactive process, 476 evidence-based practice and, 479-480, 476 history of, 497 literature review, clinicians perspective in, 477 concept in, 475-476 predictors and facilitators in, 476 qualitative studies in, need for, 477 quantitative studies in, 476 literature review of, 475-477 meaning of, 475-485 typology of, definition of, 482 description of project, 478 nurses' perceptions in, 479-482 buying into process and, 481 involvement and, 481

judgments and, 480-481

keeping up and, 481 knowledge sources and, 480 making a difference, 481–482 need and, 479–480 preliminary, adoption in, 482–483

felt need in, 482 institutional guidelines and, 482

qualitative framework for, ethnographic methods in, 477–478

Residency in critical care, Parkland Health and Hospital System, 40–45 education-related components of, 41–43

evaluation methods in, 44 management-related components of, 40–41

management-related components of, 40–41 nurse educators and preceptors in, 41–44

resource requirements and employment contract in, 44

Resistant learners, 137–146. See also *Learning*, resistance to.

group, 145

management of, principles in, 144 recognizing, 140

Resources, organizational, for pain management, 299

Respiratory depression, opioid-related, 202–203 Respiratory function, rehabilitation and, 370

Rest, in COPD, 380–381 in rehabilitation, 371

Return to work, cardiac rehabilitation and, 395

Self-awareness, in culturally competent care, 522, 527

Self-efficacy, theory of, 377-378

Self-help groups, in community re-entry, after critical illness, 454

Self-report, of chronic pain, 273–274 of pain, 182, 186, 324

nurses' acceptance of, 183 studies of, 183

Sensitization, central, in pain, 172-174

Sensory Modality Assessment Rehabilitation Technique (SMART), and emergence from coma, 425, 427

Sensory Stimulation Assessment Measure (SSAM), and emergence from coma, 425–426

Severe brain injury (SBI), clinical decisions in, factors in, 428–420

level of consciousness and, assessment of, 429 community re-entry and, stressors in, 453-454

definition of, 421

outcomes in, 421-424

akinetic mutism, 424

coma, 422, 424-428

disability, 422-424

locked-in syndrome, 424

minimally conscious state, 423-424

mortality, 422

vegetative state, 422-423

therapeutic interventions in, objectives of, 429

optional, 430

prognosis and, 429-430

standard, 429-430

Sexuality, COPD and, 384 spinal cord injury and, 407 Simulation, as teaching strategy, future of, 102 research on, 100–101

for certification and licensure, 102

in teaching critical thinking, 93-103

advantages of, 97–98 applications of, 96–97

challenges to, 97–98

full-body, computer simulators for, 97

learner and, 99-100

Skin, functions of, 435 in orthopedic trauma, 434–435

fracture blisters and, 435-437

pressure ulcer prevention in, 434

integrity of, immobility effect on, 366–367 in case management study, 446 spinal cord injury and, 407

Skin care. See also Pressure ulcers.

evidence-based practice in, 555-568

benchmarking data in, 557

chart review in, 558

clinical expertise in, 557

cost-effectiveness analysis in, 557 infection control data in, 557–558

pathophysiologic findings in, 557

patient preferences in, 558

quality improvement and risk data in, 558

research in, 557

standards for, 558

translation of research into practice and, 558-559

University of Colorado Hospital model for, 556–558 champions of change in, 562

champions of change team in, 559-560

changes in, 562-564

continuing review of skin care task force in, 567

evaluation of goals in, ongoing, 564, 567

knowledge and documentation of in, 560-562

knowledge and inpatient flow sheet changes in, 562

skin care team in, 559

treatment algorithm in, 562, 564-565

Sleep, deprivation of, pain and, 153

in COPD, 380-381

in rehabilitation, 371

Smoking cessation, in cardiac rehabilitation, 393 in COPD, 382

Social history, in assessment, of chest pain, 260

Social support, of survivors, 351

Space, personal, in culturally competent care, 526 Spacers, in respiratory medication admistration, 382

Speech pathologist, in rehabilitation, 337

Spinal cord, pain transmission in, mechanisms of,

171-172

Spinal cord injury (SCI), advances in care following, 399–409

classification of, 400-401

anterior cord syndrome, 401

Brown-Séquard syndrome, 401

central cord syndrome, 400-401

functional, American Spinal Injury Association, 401

complications of, cardiovascular/circulatory, 403–405 deep venous thrombosis, 405

gastrointestinal, 406

genitourinary, 406-407

musculoskeletal, 407-408

psychosocial, 408

Spinal cord injury (Continued) pulmonary, 402-404 sexuality/fertility, 407 skin integrity compromise, 407 thermoregulatory, 405-406 incidence of, 399 in motor vehicle accidents, 399 nursing management of, 401-402 survival of, 399-400 vertebral injuries and, 400 Spinal shock, in spinal cord injury, 403 Spiritual domain, of survivors, 351-352 Staff, for pain management, 298 Stereotyping, 64-65 Stress, environmental, 85 in community re-entry, after critical illness, 453-454 in critical care unit, 366 in nursing, at home, 465 at work, 464-465 causes of, 463-465 coping strategies for, 466-468 evaluation of, 465-466 physical symptoms of, 465-466 psychologic changes and, 465-466 role strain in, 463-464 Stress testing, for cardiac chest pain, 267 Stress ulcers, iatrogenic, 366 in spinal cord injury, 406 Support groups, in community re-entry, after critical illness, 454 Survival, of life-altering event, 349-355 issues for survivors and, 350-352 nursing practice and, 352-354 research implications of, 354 Survivor, as concept, 350 description of, 349 issues for, 350-352

Teachable moments, 88-89 Teachers, mentoring of, 124 Teaching, for critical thinking, 93-103 in crisis, 83-92. See also Patient and family education teaching encounter model in, 127 Teaching critical care, at baccalaureate level, 13-15 at master's level, 13-15 controversies in, 21 historical overview of, 15-16 in preparation of next generation, 13-15 to undergraduate and graduate students, 13-24 current status, 16-21 Teaching strategy(ies). See also Simulation. case studies, 8-10 concept mapping, 7-8 for adults, 89-90 learning preference assessment and, 4-6 learning theories and, 1-11 mentorship. See Mentorship. nursing narratives, 8 problem-based learning, 6-7 simulation, 96-100. See also Simulation. summary of, 89

Symptoms, management of, for survivors, 350-351

Theophylline, for COPD, 382 Therapeutic touch, after Whipple procedure, 357-363 anxiety reduction with, 358-359 for postoperative pain, 357-359 history and description of, 357 in burn patients, 359 in Whipple procedure, 359-362 case study of, 360-361 literature review and related research, 357-359 technique, 360-361 Thermoregulation, in spinal cord injury, 405-406 Time, concept of, in culturally competent care, 526-527 Tolerance, to medication, defined, 277 to opioids, 198, 211, 213, 236 in children, 286 Topical anesthetics, adjuvant, in pain management, 203 Tramadol, for pain, in intensive care, 217 Transcutaneous electric nerve stimulation (TENS), for pain, allergic dermatitis from, 227 principles for, 227-228 types of, 227 Transdermal administration, of opioids, 213 Transmucosal administration, of opioids, 213 Trauma care, pain management in, 243-257 assessment and notation algorithm for, 244, 246 clinical pearls for, 255-256 continuous analgesic infusions in, 247 difficulties in, 243-247 fentanyl in, 247 future research in, 255 in patients with altered levels of consciousness. 246-247 in resuscitative and early acute phases, 244 local anesthetics in, epidural, 250-253 nerve blocks for, 253 opioids in, epidural, 250-252 intravenous, 247 patient-controlled analgesia in, 247-249 patient responses to pain and, 244, 246 phases of, 244-245 primary options, 247 regional anesthetic methods, 250-253 strategies for, 244, 245 Treadmill testing, for return to work, postmyocardial infarction, 395

Thalamus, in pain, perception of, 174

Undergraduate education, for critical care practice.
17–19
mentorship in, 123
preparation for critical care, 13–15
Undertreatment, of pain, in children, 282
of terminally ill patient, 203
Unlicensed assistive personnel, education, training, and use of, 105–118
American Association of Critical Care Nurses position on, 107
American Nurses Association position on, 106–107
Illinois State Nurse Practice Act on, 106
history of, 106
integration in critical care, recommendations for, 114

literature review of, 106-108

University of Chicago Hospitals and. See Patient care technician.

orientation curricula for professional nurses and, 108-109

patient care technician role in, 109-114 patient centered care model and, 108-109 use of, 107-108

for cost containment, 105-106 for registered nurse shortage, 105-106 in future health care environment, 106 liability and, 107

Urinary retention, in elderly patient, and hip fracture rehabilitation, 418

Urinary tract infection, nosocomial, 368

Values clarification, in pain management, 158 Vegetative state (VS), after severe brain injury, 422-423 emergence from, 427-428 Ventilation, stressors in, 366

Ventriculostomy, catheter in, nosocomial infection from, 368

Vibration, for pain, mechanism of, 226 principles in, 226-227

Virtual reality, in education, 78

Visual analogue scale (VAS), in pain assessment, 183-188

studies of, 183-185

Vital signs, pain as fifth, 303-304

Vocational rehabilitation, for community re-entry, 459

Web-enabled education, 76-77

Weight training, for COPD, 384

Western Neurosensory Stimulation Profile (WNSSP), and emergence from coma, 425-427

Whipple procedure, therapeutic touch in, 359-362 patient contract for, 360 response to, 360-362 technique for, 360

Wound dressings, for pressure ulcers, research for, 553